

MATERIAL SAFETY DATA SHEET

Trade Name: Sunair Ester Refrigerant Lubricant for A/C Systems
MSDS NO. 6808
Revision Date: 05/01/2006

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name: Sunair Ester Refrigerant Lubricant for A/C Systems
Chemical Family: Refrigeration Oil
Synonyms: None
Emergency Telephone (24 hr.): CHEMTREC 1-800-424-9300

Supplier: TCC Company, P.O. Box 139, Cleburne, Texas 76033

2. COMPOSITION/INFORMATION ON INGREDIENTS

Contains no ingredients now known to be hazardous as defined by OSHA.

3. HAZARDS IDENTIFICATION

Emergency Overview: This material is irritating to skin, eyes and mucous membranes. Ingestion of this product may cause gastrointestinal distress with symptoms of nausea, vomiting, diarrhea and abdominal pain.

4. FIRST AID MEASURES

Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Seek medical attention if irritation persists.
Ingestion: DO NOT INDUCE VOMITING. Give nothing by mouth. Get medical attention! If vomiting occurs, keep head lower than hips to prevent aspiration.
Inhalation: If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.
Skin Contact: Remove contaminated clothing and launder before reuse. Get medical attention if irritation persists. Wash with soap and water. Use skin cream for defatted areas.

5. FIRE FIGHTING MEASURES

Flammable Properties

Flash Point °F(°C): 464 F. (240 C.)
Flash Point Method: COC
Flammable Limits in Air - Lower (%): Not Determined
Flammable Limits in Air - Upper (%): Not Determined
Autoignition Temperature °F(°C): Not Determined
Extinguishing Media: Carbon dioxide. Dry chemical. Foam.

Protection Of Fire-Fighters:

Special Fire-Fighting Procedures: Wear approved positive-pressure self-contained breathing apparatus and protective clothing. Do not direct a solid stream of water or foam into hot, burning pools; this may cause frothing and increase fire intensity.

Hazardous Combustion Products: Oxides of carbon, nitrogen and phosphorus.

Aerosol Comments: Not Applicable

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear appropriate protective clothing and equipment to prevent skin and eye contact.

Spill Procedures: Wear protective equipment specified. Contain any liquid from leaking containers. Absorb spills on inert material such as perlite, vermiculite, sand or dirt. Place in double polyethylene bags. Isolate from other waste materials. Wash walking surfaces with detergent and water to reduce slipping hazard.

Environmental Precautions: Do not allow to enter sanitary drains, sewer or surface and subsurface waters.

7. HANDLING AND STORAGE

Handling and Storage: Avoid contact with eyes. Keep containers tightly closed when not in use. Use only in a well ventilated area. Good hygienic practices should be observed. Work clothes should be washed separately at the end of each work day. Disposable clothing should be discarded with material. Wash thoroughly after handling. Do Not Swallow. Store at room temperature. Avoid prolonged/repeated breathing of vapors, mists or fumes.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Eyewash stations. Showers. Use local exhaust.

Eyes: Chemical goggles; also wear a face shield if splashing hazard exists.

Skin Protection: Neoprene coated apron or clothing.

Respiratory Protection: Appropriate respiratory protection shall be worn when applied engineering controls are not adequate to protect against inhalation exposure.

Trade Name: Sunair Ester Refrigerant Lubricant for A/C SystemsMSDS NO.

6808

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear, colorless liquid.	pH Value:	Not Determined
Odor:	SLIGHT HYDROCARBON	Vapor Density (Air=1):	Not Determined
Vapor Pressure:	Not Determined	Melting/Freezing Point:	Not Determined
Boiling Point (°F):	Not Determined	Bulk Density at 20°C:	Not Determined
Solubility in Water:	INSOLUBLE	Evaporation Rate:	Not Determined
Molecular Weight:	Mixture	Specific Gravity (H20=1):	.9500 @ 60F
Viscosity:	93-103 cSt @ 40C	Decomposition Temperature:	Not Known
VOC Content(%):	Not determined.		

10. STABILITY AND REACTIVITY

Chemical Stability:	Stable under normal conditions of handling, use and transportation.
Conditions to Avoid:	High temperatures.
Materials to Avoid:	Strong oxidizing agents.
Hazardous Decomposition Products:	Oxides of nitrogen. Oxides of carbon. Oxides of sulfur.
Hazardous Polymerization:	WILL NOT OCCUR

11. TOXICOLOGICAL INFORMATION

Toxicological Data:

Carcinogenicity:

No component known to be present in this product at >.1% is presently listed as a carcinogen by IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecological testing has not been conducted on this product.

13. DISPOSAL CONSIDERATION

Waste Classification:	This product as purchased does not fall under current U.S. EPA RCRA definitions of hazardous waste. Under RCRA it is the generator's responsibility to determine the status of the waste at the time of its disposal. This product does not contain any CERCLA regulated materials.
-----------------------	---

Waste Management:	Not determined.
-------------------	-----------------

Disposal of this material to the land may be banned by federal law (40 CFR 268).

14. TRANSPORTATION INFORMATION

U.S. DOT:

Proper Shipping Name:	Not Regulated
Hazard Class:	Not Applicable
UN/NA Number:	Not Applicable
DOT Packing Group:	Not Applicable

IMDG:

Proper Shipping Name:	Not Regulated
Hazard Class:	Not Applicable
Hazard Subclass:	Not Applicable
UN No.:	Not Applicable
Packing Group:	Not Applicable
Marine Pollutant:	No

15. REGULATORY INFORMATION

US Federal Regulations:

Trade Name: Sunair Ester Refrigerant Lubricant for A/C Systems **MSDS NO.** 6808
Hazardous per OSHA 29 CFR 1910.1200

SARA 311/312 Hazard Categories: Immediate Health: Yes, Delayed Health: No, Fire: No, Reactive: No, Pressure: No.

State Regulations:

U.S. TSCA: All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

16. OTHER INFORMATION

General Notes: Do not allow undiluted material or large quantities to reach groundwater, bodies of water or sewer system.

Disclaimer:

The information and recommendations contained herein are based upon tests believed to be reliable. However, Technical Chemical Company does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. Technical Chemical Company assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.